

# Children's Hospital and Health System Children's Community Health Plan Policy and Procedure

This policy applies to the following entity(s):

- |  |  |
|--|--|
| <input type="checkbox"/> CHW – Milwaukee                         | <input type="checkbox"/> CHW - Fox Valley                            |
| <input type="checkbox"/> CHHS Foundation                         | <input type="checkbox"/> CHW - Surgicenter                           |
| <input type="checkbox"/> CHW – Community Services Division       | <input checked="" type="checkbox"/> Children's Community Health Plan |
| <input type="checkbox"/> Children's Medical Group - Primary Care | <input type="checkbox"/> Children's Specialty Group                  |
| <input type="checkbox"/> Children's Medical Group - Urgent Care  | <input type="checkbox"/> CHHS Corporate Departments                  |

## Medical Utilization Management Policy

### SUBJECT: KNEE BRACES

#### INCLUDED PRODUCT(S):

##### Medicaid

BadgerCare Plus

Care4Kids Program

##### Commercial

Together with CCHP

##### Marketplace

Together with CCHP

#### PURPOSE OR DESCRIPTION:

The purpose of this policy is to define criteria for the medically necessary use of knee braces.

#### POLICY:

Knee braces will be considered medical necessary when the following criteria are present:

1. For knee braces prescribed for osteoarthritis ALL of the following must be present:
  - a. Knee pain and functional disability
  - b. Radiographic evidence of advanced osteoarthritis, as indicated by **1 or more** of the following:
    - i. Angular deformity
    - ii. Knee joint destruction
    - iii. Severe joint space narrowing
  - c. No bicompartamental arthritic changes in tibiofemoral joint
  - d. No injury or chronic stretch of medial or lateral collateral ligaments or other structures of knee

Effective: 5/16

Revised: 2/20

Reviewed: 10/2

Q: \CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors and Executive Director Health Plan Clinical Services

2. For post operative treatment a knee brace may be indicated if:
  - a. When prescribed as part of post operative rehabilitation plan during the healing phase within three months of surgery, OR
  - b. There is clinical documentation of ongoing instability anytime after surgery as indicated by:
    - i. Symptoms of instability, AND
    - ii. Physical findings of instability
3. For knee injuries a knee brace may be indicated if:
  - a. A physician evaluation has occurred which includes:
    - i. Documentation of a history consistent with symptoms of instability
    - ii. Documentation of physical findings consistent with joint instability

Knee braces will not be considered medical necessary for:

- a. Reduction of pain only
- b. Prevention of further injury if no current instability exists (see requirements for instability in “3. For knee injuries” above)
- c. Return to participation in sports if no current instability exists

## **REFERENCES:**

1. MCG Guideline A-0332 (AC); MCG Health: Ambulatory Care 23rd Edition. Copyright © 2019 MCG Health, LLC
2. American Academy of Orthopaedic Surgeons clinical practice guideline on management of anterior cruciate ligament injuries.2014 Sep 5. NGC:010527
3. Raja K, Dewan N. Efficacy of knee braces and foot orthoses in conservative management of knee osteoarthritis: a systematic review. American Journal of Physical Medicine and Rehabilitation 2011;90(3):247-62. DOI: 10.1097/PHM.0b013e318206386b.
4. Hurley ST, Hatfield Murdock GL, Stanish WD, Hubley-Kozey CL. Is there a dose response for valgus unloader brace usage on knee pain, function, and muscle strength? Archives of Physical Medicine and Rehabilitation 2012;93(3):496-502. DOI: 10.1016/j.apmr.2011.09.002.
5. Pollo FE, Jackson RW. Knee bracing for unicompartmental osteoarthritis. Journal of the American Academy of Orthopedic Surgeons 2006;14(1):5-11.
6. Stemberger R, Kerschman-Schindl K. Osteoarthritis: physical medicine and rehabilitation-nonpharmacological management. Wiener Medizinische Wochenschrift 2013;163(9-10):228-35. DOI: 10.1007/s10354-013-0181-9.
7. Sattari S, Ashraf AR. Comparison the effect of 3 point valgus stress knee support and lateral wedge insoles in medial compartment knee osteoarthritis. Iranian Red Crescent Medical Journal 2011;13(9):624-8.
8. Jacobs BC, Lee JA. Durable medical equipment: types and indications. Medical Clinics of North America 2014;98(4):881-93. DOI: 10.1016/j.mcna.2014.03.010.
9. Briggs KK, Matheny LM, Steadman JR. Improvement in quality of life with use of an unloader knee brace in active patients with OA: a prospective cohort study. Journal of Knee Surgery 2012;25(5):417-21. DOI: 10.1055/s-0032-1313748.
10. Nelson AE, Allen KD, Golightly YM, Goode AP, Jordan JM. A systematic review of recommendations and guidelines for the management of osteoarthritis: The Chronic Osteoarthritis Management Initiative of the U.S. Bone and Joint Initiative. Seminars in Arthritis and Rheumatism 2014;43(6):701-12. DOI: 10.1016/j.semarthrit.2013.11.012.
11. Bert JM, Bert TM. Nonoperative treatment of unicompartmental arthritis: from bracing to injection. Clinics in Sports Medicine 2014;33(1):1-10. DOI: 10.1016/j.csm.2013.08.002.

Effective: 5/16

Revised: 2/20

Reviewed: 10/2

Q: \CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors and Executive Director Health Plan Clinical Services

12. Jones RK, et al. A comparison of the biomechanical effects of valgus knee braces and lateral wedged insoles in patients with knee osteoarthritis. *Gait & Posture* 2013;37(3):368-72. DOI: 10.1016/j.gaitpost.2012.08.002.
13. Waller C, Hayes D, Block JE, London NJ. Unload it: the key to the treatment of knee osteoarthritis. *Knee Surgery, Sports Traumatology, Arthroscopy* 2011;19(11):1823-9. DOI: 10.1007/s00167-011-1403-6.
14. Kutzner I, et al. The effect of valgus braces on medial compartment load of the knee joint - in vivo load measurements in three subjects. *Journal of Biomechanics* 2011;44(7):1354-60. DOI: 10.1016/j.jbiomech.2011.01.014.
15. Gross KD. Device use: walking aids, braces, and orthoses for symptomatic knee osteoarthritis. *Clinics in Geriatric Medicine* 2010;26(3):479-502. DOI: 10.1016/j.cger.2010.03.007.
16. Hunter DJ, et al. A randomized trial of patellofemoral bracing for treatment of patellofemoral osteoarthritis. *Osteoarthritis and Cartilage* 2011;19(7):792-800. DOI: 10.1016/j.joca.2010.12.010.
17. Hinman RS, Crossley KM. Patellofemoral joint osteoarthritis: an important subgroup of knee osteoarthritis. *Rheumatology* 2007;46(7):1057-62. DOI: 10.1093/rheumatology/kem114.
18. Briem K, Ramsey DK. The role of bracing. *Sports Medicine and Arthroscopy Review* 2013;21(1):11-7. DOI: 10.1097/JSA.0b013e31827562b5.
19. Brouwer RW, van Raaij TM, Verhaar JA, Coene LN, Bierma-Zeinstra SM. Brace treatment for osteoarthritis of the knee: a prospective randomized multi-centre trial. *Osteoarthritis and Cartilage* 2006;14(8):777-83. DOI: 10.1016/j.joca.2006.02.004.
20. Segal NA. Bracing and orthoses: a review of efficacy and mechanical effects for tibiofemoral osteoarthritis. *PM & R : the Journal of Injury, Function, and Rehabilitation* 2012;4(5 Suppl):S89-96. DOI: 10.1016/j.pmrj.2012.01.018.
21. Jevsevar D, Brown GA, Jones DL, Matzkin EG, Manner P, Moar P,. Treatment of osteoarthritis of the knee. Evidence-based guideline 2nd ed [Internet] American Academy of Orthopaedic Surgeons. 2013 May Accessed at: <http://www.aaos.org/Research/guidelines/guide.asp>. [accessed 2014 Sep 9]
22. Chew KT, Lew HL, Date E, Fredericson M. Current evidence and clinical applications of therapeutic knee braces. *American Journal of Physical Medicine and Rehabilitation* 2007;86(8):678-86. DOI: 10.1097/PHM.0b013e318114e416.
23. Haladik JA, Vasileff WK, Peltz CD, Lock TR, Bey MJ. Bracing improves clinical outcomes but does not affect the medial knee joint space in osteoarthritic patients during gait. *Knee Surgery, Sports Traumatology, Arthroscopy* 2014;22(11):2715-20. DOI: 10.1007/s00167-013-2596-7.
24. Feeley BT, Gallo RA, Sherman S, Williams RJ. Management of osteoarthritis of the knee in the active patient. *Journal of the American Academy of Orthopedic Surgeons* 2010;18(7):406-16.
25. Wilson B, Rankin H, Barnes CL. Long-term results of an unloader brace in patients with unicompartmental knee osteoarthritis. *Orthopedics* 2011;34(8):e334-7. DOI: 10.3928/01477447-20110627-07.
26. Rannou F, Poiraudou S, Beaudreuil J. Role of bracing in the management of knee osteoarthritis. *Current Opinion in Rheumatology* 2010;22(2):218-22. DOI: 10.1097/BOR.0b013e32833619c4.
27. Ringdahl E, Pandit S. Treatment of knee osteoarthritis. *American Family Physician* 2011;83(11):1287-92.
28. Page CJ, Hinman RS, Bennell KL. Physiotherapy management of knee osteoarthritis. *International Journal of Rheumatic Diseases* 2011;14(2):145-51. DOI: 10.1111/j.1756-185X.2011.01612.x.
29. Jacobs BC, Lee JA. Durable medical equipment: types and indications. *Medical Clinics of North America* 2014;98(4):881-93. DOI: 10.1016/j.mcna.2014.03.010.

Effective: 5/16

Revised: 2/20

Reviewed: 10/2

Q: \CCHP Leadership\Utilization Management Medical Policies\APPROVED MEDICAL UM POLICIES\Knee Brace Policy Medical UM Policy

Developed by: CCHP Medical Directors and Executive Director Health Plan Clinical Services